CKPC

ORGANIC PEROXIDES, INITIATORS PAINT DRIERS

PAINT DRIERS






Paint Driers

Applications

Industrial Architectural Wood Car Refinish Marine Ink



PAINT DRIERS

PRODUCT NAME	MOLECULAR FORMULA	METAL CONTENT (%) 12, 10, 8, 6, 4, 2, 1	PHYSICAL FORM Dark Purple, Liquid	STORAGE TEMPERATURES Ts max.(°C) Ts min.(°C)	
				25	20
	$\left[\begin{array}{c} 0\\ H_3C \\ CH_3\end{array}\right]_2 Co^{2+}$				
AKDRY [®] Ca Octoate		10, 6, 5, 4	Yellowish, Transparent, Liquid	25	20
	Ca Ca				
AKDRY [®] Zr Octoate		24, 18, 16, 12, 10, 6	Clear, Transparent, Liquid	25	20
AKDRY® Mn Octoate		10, 8, 6	Brown, Liquid	25	20
	Mn V				
AKDRY® Pb Octoate		36, 32, 30, 24	Clear, Transparent, Liquid	25	20
AKDRY [®] Zn Octoate		18, 16, 12, 10, 8, 6	Clear, Transparent, Liquid	25	20
AKDRY [®] K Octoate	0	15, 10	Clear, Liquid	25	20
	H ₃ C, O' K ⁺				
AKDRY [®] Sr Octoate	0	10, 8, 6	Transparent, Liquid	25	20
	o-sr_o				
AKDRY® CT39		-	Violet Blue, Liquid	25	20
AKDRY® HP39		-	Transparent, Liquid	25	20
AKDRY® MIX - 1		1, 8, 6	Violet Blue, Liquid	25	20
AKDRY [®] MIX - 2		2, 8, 6	Violet Blue, Liquid	25	20
AKDRY® MIX - 3		3, 8, 6	Violet Blue, Liquid	25	20
AKDRY® MIX D		-	Red-Brown, Liquid	25	20
AKDRY® MIX D15		15	Dark Purple, Liquid	25	20
AKDRY® MIX D34		8,8	Violet Blue, Liquid	25	20
akdry® mix z59		10,2	Violet Blue, Liquid	25	20

• Acids:

2-EHA, Neodecanoic.

White Spirit, D 60, D 80, Toluene, Xylene, Styrene, TXIB.

Solvents:Packaging:

• Mixed Driers:

200 lt Metal Drums, 1000 lt IBC's.

iers: Tailor Made blends available.

OKPO

ORGANIC PEROXIDES, INITIATORS PAINT DRIERS

ΑΚΡΑ ΚΙΜΥΑ

akpakimya.com

Headquarters - Yenibosna Merkez Mahallesi Ladin Sokak No: 36/70
Kat: 12 Townofis Bahçelievler 34197 İstanbul, Türkiye
T: +90 212 580 55 59 F: +90 212 580 55 21
E: info@akpakimya.com
Factory - İstiklal-Kurtpınar OSB Mahallesi Atatürk Caddesi
No: 23/1 Muratlı 59700 Tekirdağ, Türkiye
T: +90 282 361 80 99 F: +90 282 361 75 71
E: info@akpakimya.com

AKPA CHEMICALS US, INC

akpachemicalus.com 122 Innovation Drive Fairfax, SC 29827 USA T: +1 803 686 28 88 E: info@akpachemicalus.com

AKPA CHEMIE GmbH

akpachemie.de Bayerstraße 15, 80335 München, Germany T: +49 151 638 55 921 E: info@akpachemie.de

AKPA CHEMICAL, IBERIA S. L.

akpaquimica.es Av. Diagonal, 601, 8° Planta 08028 Barcelona, Spain T: +34 682 110 739 E: info@akpaquimica.es

The information in the catalogue is believed to be accurate and to the best of our knowledge but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on the best of our knowledge. The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user. All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to AKPA its licensors. All rights reserved. Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties. AKPA shall not be responsible for data published by users. Products mentioned are trademarks of AKPA and registered in many countries.