

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** AKPEROX A2  
**Chemical name** Methyl Ethyl Ketone Peroxide

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Industrial use.  
**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ  
 Yenibosna Merkez Mah. Ladin Sok.  
 No:36/70 Kat:12 34197 Townofis Bahçelievler, İstanbul, TÜRKİYE  
 Web: www.akpakimya.com  
 TEL: +90 212 580 55 59  
 FAX: +90 212 580 55 21  
 E-mail: info@akpakimya.com

**Contact person** Export Department - export@akpakimya.com

##### 1.4. Emergency telephone number

**Emergency telephone** AKPA Kimya : +90 212 580 55 59

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Org. Perox. D - H242  
**Health hazards** Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318  
**Environmental hazards** Not Classified

##### 2.2. Label elements

###### Pictogram



Signal Word

Danger

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Hazard statements</b>	H242 H302 H314	Heating may cause a fire. Harmful if swallowed. Causes severe skin burns and eye damage.
<b>Precautionary statements</b>	P210 P220 P234 P280 P301+P312 P305+P351+P338 P411+P235 P501	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Nonsmoking. Keep away from amine and cobalt accelerators, acids, alkalis and heavy metal compounds, combustible materials. Keep only in original container Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store at temperatures not exceeding (5) - (30)°C. Keep cool. Dispose of contents/container in accordance with national regulations.

#### Commission Regulation (EU) No 2015/830 of 28 May 2015.

**Contains** Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Dimethyl Phthalate</b>		<b>%40-65</b>
REACH Reg. No: 01-2119437229-36-0008		
<b>CAS Number</b>	<b>131-11-3</b>	<b>EC Number</b> <b>205-011-6</b>
<b>Sınıflandırma T.C. 28848</b>		
Not Classified.		
<b>Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide</b>		<b>%25-40</b>
REACH Reg. No: 01-2119514691-43-0007		
<b>CAS Number</b>	<b>1338-23-4</b>	<b>EC Number</b> <b>700-954-4</b>
<b>Classification</b>		
Org. Perox. D	H242	
Acute Tox. 4	H302	
Acute Tox. 4	H332	
Skin Corr. 1B	H314	
Eye Dam. 1	H318	

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>2,2'-oxybisethanol</b>		<b>%5-10</b>	
<b>REACH Reg. No: 01-2119457857-21</b>			
<b>CAS Number</b>	<b>111-46-6</b>	<b>EC Number</b>	<b>203-872-2</b>
<b>Classification</b>			
Acute Tox. 4	H302		

<b>BUTANONE</b>		<b>%5-10</b>	
<b>REACH Reg. No: 01-2119457290-43-0004</b>			
<b>CAS Number</b>	<b>78-93-3</b>	<b>EC Number</b>	<b>201-159-0</b>
<b>Classification</b>			
Flam. Liq. 2	H225		
EUH066			
Eye Irrit. 2	H319		
STOT SE 3	H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>General information</b>	Effects may be delayed. Keep affected person under observation. Chemical burns must be treated by a physician.
<b>Inhalation</b>	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth thoroughly with water. DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Remove affected person from source of contamination. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

##### 4.2. Most important symptoms and effects, both acute and delayed

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>General information</b>	Move out of dangerous areas. Show this Safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. Call a physician immediately.
<b>Inhalation</b>	Nausea, vomiting. Dizziness.
<b>Ingestion</b>	May cause stomach pain or vomiting. Chemical burns.
<b>Skin contact</b>	May cause serious chemical burns to the skin.
<b>Eye contact</b>	May cause severe eye irritation.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	
<b>Notes for the doctor</b>	Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing Media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

##### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m <sup>3</sup> . Vapours may form explosive mixtures with air. Forms explosive mixtures with air. May explode when heated or when exposed to flames or sparks. Containers can burst violently or explode when heated, due to excessive pressure build-up.
-------------------------	---

##### Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

##### 5.3. Advice for firefighters

##### Protective actions during firefighting

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Cool containers exposed to flames with water until well after the fire is out. Fight fire from safe distance or protected location. Move containers from fire area if it can be done without risk. Do not use water jet as an extinguisher, as this will spread the fire. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.

##### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

##### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Keep combustible materials away from spillage. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. Do not touch or walk into spilled material. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

##### 6.4. Reference to other sections

**Reference to the other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Do not handle broken packages without protective equipment.

**Advice on general occupational hygiene** Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Good personal hygiene procedures should be implemented.

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Mechanical ventilation or local exhaust ventilation may be required. Container must be kept tightly closed when not in use.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Storage precautions

Keep away from oxidising materials, heat and flames. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store away from the following materials: Acids. Alkalis. Keep away from flammable and combustible materials.

#### 7.3. Specific end use(s)

##### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control Parameters

##### Exposure Guidelines

##### Ingredients with workplace control parameters

Ingredients	CAS No.	Value	Control Parameters	Basis	Form of exposure
Dimethyl phthalate	131-11-3	TWA	5 mg/m <sup>3</sup>	ACGIH NIOSH REL OSHA Z-1 OSHA P0 CAL PEL	
		MPC-TWA	0,3 mg/m <sup>3</sup>	RU OEL	Mixture of vapour and aerosol
		MPC-Stel	1 mg/m <sup>3</sup>	RU OEL	Mixture of vapour and aerosol
Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide	1338-23-4	C	0.2 ppm	ACGIH	
			0.2 ppm 1.5 mg/m <sup>3</sup>	NIOSH REL	
			0.7 ppm 5 mg/m <sup>3</sup>	OSHA P0	
			0.2 ppm 1.5 mg/m <sup>3</sup>	CAL PEL	
Methyl Ethyl Ketone	78-93-3	TWA	200 ppm	ACGIH	
		MPC-TWA	200 mg/m <sup>3</sup>	RU OEL	Vapour and/or gas
		STEL	300 ppm	ACGIH	
		MPC-STEL	400 mg/m <sup>3</sup>	RU OEL	Vapour and/or gas
		TWA	200 ppm 590 mg/m <sup>3</sup>	NIOSH REL OSHA Z-1	

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

				OSHA P0 CAL PEL	
		ST	300 ppm 885 mg/m <sup>3</sup>	NIOSH REL OSHA P0 CAL PEL	
2,2'-oxybisethanol	111-46-6	TWA	10 mg/m <sup>3</sup>	ACGIH	

## 8.2. Exposure controls

### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

#### Hand protection

Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Rubber (natural, latex). The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

#### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

#### Hygiene measures

Provide eyewash station and safety shower. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

#### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Check that the respirator fits tightly and the filter is changed regularly.

#### Environmental exposure controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 9: Physical and Chemical Properties

##### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Colorless.
<b>Odour</b>	Characteristic.
<b>Relative density</b>	1,14±0,005 gr/cm <sup>3</sup> @20°C
<b>Solubility(ies)</b>	Partially soluble in water.
<b>Flammability (solid, gas)</b>	Not applicable
<b>Viscosity, dynamic</b>	No data available.

##### 9.2. Other information

<b>SADT</b>	60°C
<b>Active Oxygen Content</b>	8,9 - 9,1%

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

##### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures.
------------------	--

##### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Not available.
---	----------------

##### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition.
----------------------------	---

##### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong alkalis. Strong acids. Strong reducing agents. Strong oxidising agents. Some metals.
---------------------------	---

##### 10.6. Hazardous decomposition products

<b>Hazardous decomposition Products</b>	Oxides of carbon. Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrocarbons. Formic acid, acetic acid, propionic acid, methyl ethyl ketone
---	--



## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

###### Product Information

**Toxicological information** ATE<sub>KARIŞIM</sub>, oral 1036 mg/kg

**Serious eye damage/irritation:** Causes burns.

**Skin corrosion/irritation:** Causes burns.

###### **Respiratory or skin sensitisation:**

**Respiratory sensitisation** Based on available data the classification criteria are not met.

###### **Germ cell mutagenicity:**

Genotoxicity - In Vitro - In Vivo Based on available data the classification criteria are not met.

###### **Carcinogenicity:**

Based on available data the classification criteria are not met.

###### **Reproductive Toxicity:**

Based on available data the classification criteria are not met.

**Reproductive Toxicity – Development** Based on available data the classification criteria are not met.

###### **Specific target organ toxicity - single exposure:**

STOT - Single exposure Based on available data the classification criteria are not met.

###### **Specific target organ toxicity - repeated exposure:**

STOT - Repeated exposure Based on available data the classification criteria are not met.

###### **Aspiration Hazard**

Based on available data the classification criteria are not met.

###### **Inhalation**

Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

###### **Ingestion**

Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and stomach.

###### **Skin contact**

Causes burns. Harmful in contact with skin. May cause sensitisation or allergic reactions in sensitive individuals.

###### **Eye contact**

Causes burns.

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Route of entry</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target organs</b>	Respiratory system, lungs
<b>Medical considerations</b>	Skin disorders and allergies.

#### Toxicology Data For The Ingredients:

##### Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide

Acute oral toxicity	LD50: 1017 mg/kg	Species: Rat
Acute inhalation toxicity	LC50 (Rat): 17 mg/l	Exposure time: 4h
Acute dermal toxicity	LD50: 4000 mg/kg	Species: Rat

##### Dimethyl phthalate

Acute oral toxicity	LD50: >5000 mg/kg	Species: Rat
Acute inhalation toxicity	The substance or mixture has no acute inhalation toxicity	
Acute dermal toxicity	LD50: >10000 mg/kg	Species: Rabbit

##### Butanone

Acute oral toxicity	LD50: 2,737 mg/kg	Species: Rat
Acute dermal toxicity	LD50: 6,480 mg/kg	Species: Rabbit

##### 2,2'-oxybisethanol

Acute oral toxicity	LD50: 19600 mg/kg	Species: Rat
Acute dermal toxicity	LD50: 13300 mg/kg	Species: Rabbit

#### SECTION 12: Ecological Information

##### 12.1. Toxicity

##### Ecological information on ingredients.

##### Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide

<b>Toxicity to fish</b>	LC <sub>50</sub> , 96h: 44,2 mg/l
<b>Toxicity to daphnia and other aquatic invertebrates</b>	39 mg/l, 48h
<b>Toxicity to algae</b>	ErC <sub>50</sub> , 72h: 5,6 mg/l
<b>Toxicity to bacteria</b>	EC <sub>10</sub> , 0,5h: 5,6 mg/l

##### Butanone

<b>Toxicity to fish</b>	LC <sub>50</sub> , 96h: 3.220 mg/l
-------------------------	------------------------------------

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### Dimethyl phthalate

<b>Toxicity to fish</b>	LC <sub>50</sub> , 96h: 420 mg/l
<b>Toxicity to algae</b>	EC <sub>10</sub> , 72h: 193,09 mg/l
<b>Toxicity to fish (Chronic toxicity)</b>	NOEC, 102d: 11 mg/l
<b>Toxicity to daphnia and other Aquatic invertebrates (Chronic toxicity)</b>	NOEC, 21d: 9,6 mg/l

#### **2,2'-OXYBISETHANOL**

<b>LC 50, 96 Hrs, Fish</b>	75200 mg/l Pimephales promelas
<b>EC 50, 24 Hrs, Daphnia</b>	>10000 mg/L Daphnia magna

#### **12.2. Persistence and degradability**

**Persistence and degradability** No data available on degradability.

#### **12.3. Bio accumulative potential**

**Bio accumulative potential** No data available on bioaccumulation.

#### **12.4. Mobility in soil**

**Mobility** The product is partly miscible with water and may spread in the aquatic environment.

#### **12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### **12.6. Other adverse effects**

**Other adverse effects** May be hazardous to aquatic life.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **General information**

Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

##### **Disposal methods**

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

thoroughly emptied before disposal because of the risk of an explosion.  
Environmental Manager must be informed of all major spillages.

#### SECTION 14: Transport information

**General information** For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

##### 14.1. UN number

UN No. (ADR/RID)	3105
UN No. (IMDG)	3105
UN No. (ICAO)	3105
UN No. (ADN)	3105

##### 14.2. UN proper shipping name

<b>Proper Shipping name (ADR/RID)</b>	ORGANIC PEROXIDE TYPE D, LIQUID (Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide)
<b>Proper Shipping name (IMDG)</b>	ORGANIC PEROXIDE TYPE D, LIQUID (Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide)
<b>Proper Shipping name (ICAO)</b>	ORGANIC PEROXIDE TYPE D, LIQUID (Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide)
<b>Proper Shipping name (ADN)</b>	ORGANIC PEROXIDE TYPE D, LIQUID (Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide)

##### 14.3. Transport hazard class(es)

ADR/RID class	5.2
ADR/RID label	5.2
IMDG class	5.2
ICAO class/division	5.2
ADN class	5.2

##### Transport labels



## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

##### Environmentally hazardous substance/marine pollutant

No

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**EmS** F-J, S-R

**ADR transport category** 2

**Emergency Action Code** 2WE

**Hazard Identification Number -  
(ADR/RID)**

**Tunnel restriction code** (D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according  
to Annex II of MARPOL** Not Applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** Health and Safety at Work etc. Act 1974 (as amended).  
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 16: Other information

<b>Key literature references and sources for data</b>	This SDS is prepared based on the information received from the product owner.
<b>Classification procedures according to Regulation (EC) 1272/2008</b>	Skin Corr. 1B - H314; Eye Dam. 1 - H318: Calculation Method. Org. Perox. D - H242: Expert Judgement.
<b>Training advice</b>	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
<b>Revision comments</b>	Added REACH Numbers.
<b>Issued By</b>	Büşra Tarakçı/CRAD Çevre Risk Analiz Denetim ve Eğitim Hizm. A.Ş. gbf@crad.com.tr
<b>Issued Date</b>	22.11.2010
<b>Revised By</b>	Simge ARIK lab@akpakimya.com +90 282 361 80 99
<b>Revision date</b>	25.03.2019
<b>Revision</b>	5.0
<b>Hazard statements in full</b>	
<b>H225</b>	Highly flammable liquid and vapour.
<b>H242</b>	Heating may cause a fire.
<b>H302</b>	Harmful if swallowed.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H336</b>	May cause drowsiness or dizziness.
<b>EUH066</b>	Repeated exposure may cause skin dryness or cracking.
<b>Other abbreviations</b>	
<b>ACGIH</b>	USA, ACGIH Thershold Limit Values (TLV)
<b>CAL PEL</b>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
<b>NIOSH REL</b>	USA NIOSH Recommended Exposure Limits
<b>OSHA P0</b>	USA OSHA – TABLE Z-1 Limits for ait contaminants – 1910.1000
<b>OSHA Z-1</b>	USA Occupational Exposure Limits (OSHA) – Table Z-1 Limits for air contaminants
<b>ACGIH/TWA</b>	8-hour, time-weighted average
<b>ACGIH/STEL</b>	Short-term exposure limit
<b>ACGIH/C</b>	Ceiling limit
<b>CAL PEL/STEL</b>	Short term exposure limit

**AKPA**ORGANIC PEROXIDES, INITIATORS  
PAINT DRIERS

## SAFETY DATA SHEET

### AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

---

<b>CAL PEL/PEL</b>	Permissible exposure limit
<b>CAL PEL/C</b>	Ceiling
<b>NIOSH REL/TWA</b>	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
<b>NIOSH REL/ST</b>	STEL-15minute TWA exposure that should not be exceeded at any time during a workday
<b>NIOSH REL/C</b>	Ceiling value not be exceeded at any time
<b>OSHA P0/TWA</b>	8-hour time weighted average
<b>OSHA P0/STEL</b>	Short-term exposure limit
<b>OSHA P0/C</b>	Ceiling limit
<b>OSHA Z-1/TWA</b>	8-hour time weighted average
<b>RU OEL / MPC-STEL</b>	Russia. Maximum Permissible Concentration – Short Term Exposure
<b>RU OEL / MPC-TWA</b>	Russia. Maximum Permissible Concentration – Time Weighted Average

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.