

SAFETY DATA SHEET
AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name AKPEROX EHP75W
Chemical name Di(2-ethylhexyl) Peroxydicarbonate 75%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reaction initiator for industrial use.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ
Yenibosna Merkez Mah. Ladin Sok.
No:36/70 Kat:12 34197 Townofis Bahçelievler, İstanbul, TÜRKİYE
Web: www.akpakimya.com
PHONE: +90 212 580 55 59
FAX: +90 212 580 55 21
E-mail: info@akpakimya.com

Contact person Export Department - export@akpakimya.com

1.4. Emergency telephone number

Emergency telephone AKPA Kimya : +90 549 558 4040

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards Flam. Liq. 3 - H226; Org. Perox. D - H242
Health hazards Skin Irrit. 2 - H315; Skin Sens. 1 - H317; Eye Dam. 1 - H318; Asp. Tok. 1 - H304
Environmental hazards Not classified.

2.2. Label elements**Pictogram**

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Signal Word	Danger	
Hazard statements	H226	Flammable liquid and vapour
	H242	Heating may cause a fire.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
Precautionary statements	P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
	P220	Keep away from acids, alkalis, heavy metal compounds, oxidising material, combustible materials.
	P234	Keep only in original container.
	P243	Take precautionary measures against static discharge.
	P264	Wash thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P405+P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	P410	Protect from sunlight.
	P411	Store at temperatures not exceeding -15°C.
	P420	Do not mix with peroxide-accelerators or reducing agents.
	P501	Dispose of contents/container in accordance with national regulations.
Contain	bis(2-ethylhexyl) peroxydicarbonate, Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

bis(2-ethylhexyl) peroxydicarbonate		%74-76	
CAS Number	16111-62-9	EC Number	240-282-4
Classification			
Org. Perox. C	H242		
Skin Irrit. 2	H315		
Eye Dam. 1	H318		
Skin Sens. 1	H317		

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		%24-26	
REACH Reg. No: 01-2119490725-29-0000			
CAS Number	93685-81-5	EC Number	297-629-8
Classification			
Flam. Liq. 3	H226		
Asp. Tok. 1	H304		
Aquatic Chronic 4	H413		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Remove affected person from source of contamination. Get medical attention if any discomfort continues.
Inhalation	Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.
Ingestion	Immediately rinse mouth and drink plenty of water. DO NOT induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Get medical attention immediately!
Skin contact	Remove victim immediately from source of exposure. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation Vapours may cause drowsiness and dizziness.

Ingestion May cause stomach pain or vomiting.

Skin contact May cause skin irritation/eczema.

Eye contact May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing Media Halon. Direct water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, toxic gases may be formed. Vapours may form explosive air mixtures even at room temperature. Containers can burst violently when heated, due to excess pressure build-up

Hazardous decomposition products

Under certain fire conditions, traces of other toxic gases cannot be excluded. Hydrocarbons, carbondioxide and -monoxid.

5.3. Advice for firefighters

SAFETY DATA SHEET AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Protective actions during firefighting	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Face mask, protective gloves and safety helmet.
Special protective equipment for firefighters	Use pressurised air mask if product is involved in a fire. Cool containers exposed to flames with water until well after the fire is out. If possible, fight fire from protected position. Move container from fire area if it can be done without risk. Avoid water in straight hose stream; will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Do not smoke, use open fire or other sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Keep combustibles away from spilled material. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
--------------------------------	--

6.4. Reference to other sections

Reference to the other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep away from heat, sparks and open flame. Avoid inhalation of vapours/spray and contact with skin and eyes. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Do not handle broken packages without protective equipment. Only use tools made of suitable
--------------------------	--

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

materials (e. g. polyethylene or stainless steel). Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. Heavy metal compounds and amines). Oxidizing because of releasing oxygene.

Advice on general occupational hygiene

Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Mechanical ventilation or local exhaust ventilation may be required. Container must be kept tightly closed. Protect against direct sunlight.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep away from oxidisers, heat and flames. Store in tightly closed original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store away from: Acids. Alkalis. Heavy metal compounds. Oxidising material - Keep away from flammable and combustible materials. Store in closed original container at temperatures between (-25/-15)°C. Control temperature: -15°C. Emergency temperature: -5 °C

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(2-ethylhexyl) peroxydicarbonate	Workers	Inhalation	Long-term systemic effects	11.75 mg/m ³
	Workers	Skin contact	Long-term systemic effects	6.67 mg/kg bw/day

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(2-ethylhexyl) peroxydicarbonate	Fresh water	0.032 mg/l
	Marine water	0.0032 mg/l
	Intermittent use/release	0.094 mg/l
	Sewage treatment plant	1.5 mg/l
	Fresh water sediment	0.228 mg/kg
	Marine sediment	0.0228 mg/kg
	Soil	0.0269 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. All handling to take place in well-ventilated area.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Isolate contaminated clothing and wash before reuse. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash promptly with soap & water if skin becomes contaminated.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Wear suitable mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'- marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14 387 and EN143. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear Liquid
Colour	Colorless
Odour	Solvent-like
Melting point	Not applicable.
Flash point	57 °C
Auto-ignition temperature	Product is not selfigniting.
Explosive Properties	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Density	0,935 ± 0,005 gr/cm ³ (0°C)
Solubility(ies)	Undetermined.
Viscosity	27 mPa.s (0°C)

9.2. Other information

Active Oxygen Content	3,41 - 3,51 %
Assay	74 - 76 %
SADT	5°C

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Not known

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Self-accelerating decomposition at SADT.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Keep away from heat, sparks, open flames or hot surfaces. – No smoking.

10.5. Incompatible materials

Materials to avoid Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g.heavy-metal compounds and amines).

10.6. Hazardous decomposition products

Hazardous decomposition Products Hydrocarbons, carbondioxide and -monoxid. No hazardous decomposition products if used and stored according to specifications.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information

bis(2-ethylhexyl) peroxydicarbonate

Acute oral toxicity	LD50: >2000 mg/kg	Species: Rat
Acute dermal toxicity	LD50: >2000 mg/kg	Species: Rabbit

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

Acute oral toxicity	LD50: >5,000 mg/kg	Species: Rat
---------------------	--------------------	--------------

Skin corrosion/irritation:

Causes skin irritation.

SAFETY DATA SHEET AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity:

Genotoxicity - In Vitro - In Vivo

Not available.

Carcinogenicity:

Not available.

Reproductive Toxicity:

Not available.

Reproductive Toxicity – Development

Not available.

Specific target organ toxicity - single exposure:

STOT - Single exposure

No information required.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

No information required.

Aspiration Hazard

May be fatal if swallowed and enters airways.

Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion

May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.

Skin contact

Irritating to skin. May cause sensitisation by skin contact.

Eye contact

May cause temporary eye irritation.

SECTION 12: Ecological Information

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

12.1. Toxicity

bis(2-ethylhexyl) peroxydicarbonate

Toxicity to fish	LC ₅₀ , 96h (Pimephales promelas (fathead minnow)): 28.3 mg/l
Toxicity to daphnia and other aquatic invertebrates	EC ₅₀ , 48h (Daphnia magna (Water flea)): 9.4 mg/l
Toxicity to algae	EC ₅₀ , 72h (Pseudokirchneriella subcapitata (green algae)): > 100mg/l
Toxicity to microorganisms	EC ₁₀ , 3h (Bacteria): > 20 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	NOEC: 1.6 mg/l, 21d

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

EC50 / 48h	>0.04 mg/l (daphnia magna)
IC50 / 72h	>0.04 mg/l (alga)

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bio accumulative potential

Bio accumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment Not applicable.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General Information Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority. When handling waste,

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

	consideration should be made to the safety precautions applying to handling of the product .
Disposal methods	Dispose of waste and residues in accordance with local authority requirements. Make sure containers are empty before discarding (explosion risk). Environmental manager must be informed of all major spillages.

SECTION 14: Transport information

General Information	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
----------------------------	---

14.1. UN number

UN No. (ADR/RID)	3115
UN No. (IMDG)	3115
UN No. (ICAO)	3115
UN No. (ADN)	3115

14.2. UN proper shipping name

Proper Shipping name (ADR/RID)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)
Proper Shipping name (IMDG)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)
Proper Shipping name (ICAO)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)
Proper Shipping name (ADN)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(2-ETHYLHEXYL)-PEROXYDICARBONATE)

14.3. Transport hazard class(es)

ADR/RID class	5.2
ADR/RID label	5.2
IMDG class	5.2
ICAO class/division	5.2
ADN class	5.2

Transport labels

SAFETY DATA SHEET

AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**14.4. Packing group**

Not applicable.

14.5. Environmental hazards**Environmentally hazardous substance/marine pollutant**

No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EMS F-F, S-R**Emergency Action Code** 2WE**Tunnel Restriction Code** (D)**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Transport in bulk according to Annex II of MARPOL No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**National regulations**

Health and Safety at Work etc. Act 1974 (as amended).
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).



ORGANIC PEROXIDES, INITIATORS
PAINT DRIERS



Management
System
ISO 9001:2015
OHSAS 18001:2007

www.tuv.com
ID 9105038551

SAFETY DATA SHEET AKPEROX EHP75W

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Key literature references and sources for data	This SDS is prepared based on the information received from the product owner.
Classification procedures according to Regulation (EC) 1272/2008	Skin Irrit. 2 - H315; Skin Sens. 1 - H317; Eye Dam. 1 - H318; Asp. Tok. 1 - H304: Calculation Method. Flam. Liq. 3 - H226; Org. Perox. D - H242: Expert Judgement
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	The SDS is generated in accordance with the 1907/2006 REACH and 1272/2008 CLP regulations.
Issued by	Simge ARIK - lab@akpakimya.com +90 282 361 80 99
Issue Date	05.04.2018
Revision date	21.05.2019
Revision	1.0
Hazard statements in full	
H226	Flammable liquid and vapour
H242	Heating may cause a fire.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H413	May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.