

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** AKPEROX PK295 D50  
**Chemical name** 1, 1-Di (tert-butylperoxy) - 3, 3,5-trimethylcyclohexane, 50%

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Industrial use.  
**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ  
 Yenibosna Merkez Mah. Ladin Sok.  
 No:36/70 Kat:12 34197 Townofis Bahçelievler, İstanbul, TÜRKİYE  
 Web: www.akpakimya.com  
 PHONE: +90 212 580 55 59  
 FAX: +90 212 580 55 21  
 E-mail: info@akpakimya.com

**Contact person** Export Department - export@akpakimya.com

##### 1.4. Emergency telephone number

**Emergency telephone** AKPA Kimya : +90 549 558 4040

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Org. Perox. E - H242  
**Health hazards** Asp. Tok. 1 - H304  
**Environmental hazards** Aquatic Chronic 4 - H413

##### 2.2. Label elements

###### Pictogram



## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Signal Word</b>	Danger	
<b>Hazard statements</b>	H242	Heating may cause a fire.
	H304	May be fatal if swallowed and enters airways.
	H413	May cause long lasting harmful effects to aquatic life.
<b>Precautionary statements</b>	P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
	P220	Keep away from acids, alkalis, heavy metal compounds, oxidising material, combustible materials.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P331	Do NOT induce vomiting.
	P411+235	Store at temperatures not exceeding max. (25)°C. Keep cool.
	P501	Dispose of contents/container in accordance with national regulations.

**Contains** Di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide</b>		<b>%49-51</b>	
<b>CAS Number</b>	<b>6731-36-8</b>	<b>EC Number</b>	<b>229-782-3</b>
<b>Classification</b>			
Org. Perox. B	H241		
Aquatic Chronic 4	H413		

<b>Naphtha (petroleum), hydrotreated heavy</b>		<b>%49-51</b>	
<b>CAS Number</b>	<b>64742-48-9</b>	<b>EC Number</b>	<b>265-150-3</b>
<b>Classification</b>			
Asp. Tox. 1	H304		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### Composition Comments

The data shown are in accordance with the latest EC Directives.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>General information</b>	NOTE! Effects may be delayed. Keep affected person under observation. Chemical burns must be treated by a physician.
<b>Inhalation</b>	Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.
<b>Ingestion</b>	Immediately rinse mouth and provide fresh air. DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Remove victim immediately from source of exposure. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Nausea, vomiting. Dizziness.
<b>Ingestion</b>	May cause stomach pain or vomiting.
<b>Skin contact</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye contact</b>	May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.
-----------------------------	--

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

## SAFETY DATA SHEET AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.  
**Unsuitable extinguishing Media** Halon. Direct water jet.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** In case of fire, toxic gases may be formed. Vapours may form explosive air mixtures even at room temperature. Containers can burst violently when heated, due to excess pressure build-up

### Hazardous decomposition products

Fire causes formation of toxic gases. Forms explosive mixtures with air. May explode when heated or when exposed to flames or sparks.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  
Face mask, protective gloves and safety helmet.

**Special protective equipment for firefighters** Use pressurised air mask if product is involved in a fire. Cool containers exposed to flames with water until well after the fire is out. If possible, fight fire from protected position. Move container from fire area if it can be done without risk. Avoid water in straight hose stream; will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.  
Do not smoke, use open fire or other sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Keep combustibles away from spilled material. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Dike far ahead of larger spills for later

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

disposal. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

**Reference to the other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Avoid inhalation of vapours/spray and contact with skin and eyes. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Do not handle broken packages without protective equipment.

**Advice on general occupational hygiene** Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Mechanical ventilation or local exhaust ventilation may be required. Container must be kept tightly closed. Protect against direct sunlight.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep away from oxidisers, heat and flames. Store in tightly closed original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store away from: Acids. Alkalis. Heavy metal compounds. Oxidising material - Keep away from flammable and combustible materials. Store in closed original container at temperatures max. 25°C. Provide an adequate ventilation system.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

Ingredients	CAS No.	Value	Control Parameters	Basis
Naphtha (petroleum), hydrotreated heavy	64742-48-9	TWA	1050 mg/m <sup>3</sup>	EU HSPA

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide	Workers	Inhalation	Long-term systemic effects	0.1 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.13 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide	Fresh water	0.00021 mg/l
	Marine water	0.00021 mg/l
	Intermittent use/release	0.00021 mg/l
	Fresh water sediment	2.82 mg/kg
	Marine sediment	0.282 mg/kg
	Sewage treatment plant	100 mg/l

## 8.2. Exposure controls

### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. All handling to take place in well-ventilated area.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

## SAFETY DATA SHEET AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Other skin and body protection</b>	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
<b>Hygiene measures</b>	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Isolate contaminated clothing and wash before reuse. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash promptly with soap & water if skin becomes contaminated.
<b>Respiratory protection</b>	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Wear suitable mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14 387 and EN143. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
<b>Environmental exposure controls</b>	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear Liquid
<b>Colour</b>	Colorless
<b>Odour</b>	Characteristic
<b>Melting point</b>	Not available
<b>Flash point</b>	No data available.
<b>Bulk density</b>	Not available.
<b>Density</b>	0,825 ± 0,005 gr/cm <sup>3</sup> (@20°C)
<b>Solubility(ies)</b>	Partially soluble in water.
<b>Viscosity</b>	No data available.

#### 9.2. Other information

<b>Active Oxygen Content</b>	5,20 % - 5,40 %
------------------------------	-----------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**SAFETY DATA SHEET**  
**AKPEROX PK295 D50**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>10.2. Chemical stability</b>	
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>10.3. Possibility of hazardous reactions</b>	
<b>Possibility of hazardous reactions</b>	Polymerization does not occur.
<b>10.4. Conditions to avoid</b>	
<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition.
<b>10.5. Incompatible materials</b>	
<b>Materials to avoid</b>	Strong alkalis. Strong acids. Strong oxides. Strong reducing agents. Metals.
<b>10.6. Hazardous decomposition products</b>	
<b>Hazardous decomposition Products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrocarbons.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicological information**

The product is not tested.

**Serious eye damage/irritation:**

Not available.

**Respiratory or skin sensitisation:****Skin sensitisation**

Not available.

**Germ cell mutagenicity:**

Genotoxicity - In Vitro - In Vivo

Not available.

**Carcinogenicity:**

Not available.

**Reproductive Toxicity:**



## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Not available.

#### Reproductive Toxicity – Development

Not available.

#### Specific target organ toxicity - single exposure:

STOT - Single exposure

No information required.

#### Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

No information required.

#### Aspiration Hazard

May be fatal if swallowed and enters airways.

#### Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

#### Ingestion

May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.

#### Skin contact

Prolonged and frequent contact may cause redness and irritation.

#### Eye contact

May cause temporary eye irritation.

#### Toxicological information on ingredients

##### Di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

Acute oral toxicity	LD50: >2000 mg/kg	Species: Rat
Acute dermal toxicity	LD50: >2000 mg/kg	Species: Rat
Acute inhalation toxicity	LC50 (Rat): >5,6 mg/l	Exposure time: 4h

##### Naphtha (petroleum), hydrotreated heavy

Acute oral toxicity	LD50: >5000 mg/kg	Species: Rat
Acute dermal toxicity	LD50: >5000 mg/kg	Species: Rabbit

## SECTION 12: Ecological Information

### 12.1. Toxicity

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Toxicity** No data available

#### Ecological information on ingredients

##### Di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide

**Toxicity to fish** LC<sub>50</sub>, 96h (Brachydanio rerio (zebrafish)): >0.043 mg/l  
**Toxicity to algae** EC<sub>10</sub>, 72h (Pseudokirchneriella subcapitata (green algae)): 0.11 mg/l  
**Toxicity to daphnia and other aquatic invertebrates** EC<sub>50</sub>, 48h (Daphnia magna (Water flea)): >1 mg/l  
**Toxicity to microorganisms** EC<sub>50</sub>, 3h (Bacteria): >1,000 mg/l  
**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)** NOEC, 21d (Daphnia magna (Water flea)): 0.0128 mg/l

##### Naphtha (petroleum), hydrotreated heavy

**Toxicity to fish** EC<sub>50</sub> >100 ppm  
**Toxicity to algae** EC<sub>50</sub> >100 ppm  
**Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)** EC<sub>50</sub> >100 ppm

#### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

#### 12.3. Bio accumulative potential

**Bio accumulative potential** No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility** The product is partly miscible with water and may spread in the aquatic environment.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** Not known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>General Information</b>	Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority. When handling waste, consideration should be made to the safety precautions applying to handling of the product .
<b>Disposal methods</b>	Dispose of waste and residues in accordance with local authority requirements. Make sure containers are empty before discarding (explosion risk). Environmental manager must be informed of all major spillages.

#### SECTION 14: Transport information

**General Information** For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

#### 14.1. UN number

<b>UN No. (ADR/RID)</b>	3107
<b>UN No. (IMDG)</b>	3107
<b>UN No. (ICAO)</b>	3107
<b>UN No. (ADN)</b>	3107

#### 14.2. UN proper shipping name

**Proper Shipping name (ADR/RID)** ORGANIC PEROXIDE TYPE E, LIQUID

**Proper Shipping name (IMDG)** ORGANIC PEROXIDE TYPE E, LIQUID

**Proper Shipping name (ICAO)** ORGANIC PEROXIDE TYPE E, LIQUID

**Proper Shipping name (ADN)** ORGANIC PEROXIDE TYPE E, LIQUID

#### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	5.2
<b>ADR/RID label</b>	5.2
<b>IMDG class</b>	5.2
<b>ICAO class/division</b>	5.2
<b>ADN class</b>	5.2

**Transport labels**

## SAFETY DATA SHEET

### AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.



#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

Yes.

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EMS	F-J, S-R
Emergency Action Code	2W
Tunnel Restriction Code	(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL** No data available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** Health and Safety at Work etc. Act 1974 (as amended).  
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

## SAFETY DATA SHEET AKPEROX PK295 D50

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Key literature references and sources for data</b>	This SDS is prepared based on the information received from the product owner.
<b>Classification procedures according to Regulation (EC) 1272/2008</b>	Asp. Tok. 1 - H304; Aquatic Chronic 4 - H413: Calculation Method. Org. Perox. E - H242: Expert Judgement
<b>Training advice</b>	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
<b>Revision comments</b>	The SDS is generated in accordance with the 1907/2006 REACH and 1272/2008 CLP regulations.
<b>Issued by</b>	Simge ARIK lab@akpakimya.com +90 282 361 80 99
<b>Issue Date</b>	02.10.2017
<b>Revision date</b>	10.06.2019
<b>Revision</b>	1.0
<b>Hazard statements in full</b>	H241 Heating may cause a fire or explosion. H242 Heating may cause a fire. H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.