

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name** EFOX 100 S75  
**Chemical name** Tert-Butyl Peroxyneodecanoate - TBPND

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Industrial use  
**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer** AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ  
Yenibosna Merkez Mah. Ladin Sok. No:36/70 Kat:12 34197  
Townofis Bahçelievler, İstanbul, TÜRKİYE  
Web: www.akpakimya.com  
TEL: +90 212 580 55 59  
FAX: +90 212 580 55 21  
E-mail: info@akpakimya.com  
**Contact person** Export Department - export@akpakimya.com

**1.4. Emergency telephone number**

**Emergency telephone** CHEMTREC: TOLL Free 1-800-424-9300 / Local: +1-703-527-3887  
**For product information** AKPA KİMYA: +90 549 558 40 40

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

**Physical hazards** Flam. Liq. 3 - H226; Org. Perox. D - H242  
**Health hazards** Skin Irrit. 2 - H315; Skin Sens. 1 - H317; Asp. Tok. 1 - H304  
**Environmental hazards** Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

**2.2. Label elements****Pictogram****Signal Word****Hazard statements****Danger**

**H226** Flammable liquid and vapour.  
**H242** Heating may cause a fire.  
**H304** May be fatal if swallowed and enters airways.

## SAFETY DATA SHEET

### EFOX 100 S75

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### Precautionary statements

- H315** Causes skin irritation.  
**H317** May cause an allergic skin reaction.  
**H410** Very toxic to aquatic life with long lasting effects.  
**P210** Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.  
**P220** Keep away from acids, alkalis, heavy metal compounds, oxidizing material, combustible materials.  
**P273** Avoid release to the environment.  
**P280** Wear protective gloves/protective clothing/ eye protection/ face protection.  
**P301+P310 IF SWALLOWED:** Immediately call a POISON CENTER or doctor/physician.  
**P302+P352 IF ON SKIN:** Wash with plenty of water.  
**P411+P235** Store at temperatures not exceeding (-20°C) - (-10°C). Keep cool.  
**P501** Dispose of contents/ container in accordance with national regulations.

#### Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### Contains

tert-butyl peroxyneodecanoate, Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

tert-butyl peroxyneodecanoate		%74-76	
<b>CAS Number</b>	26748-41-4	<b>EC Number</b>	247-955-1
<b>Classification</b>			
Org. Perox. D	H242		
Skin Irrit. 2	H315		
Skin Sen. 1	H317		
Aquatic Acute 1	H400		
Aquatic Chronic 1	H410		
Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		%24-26	
<b>REACH Reg. No: 01-2119490725-29-0000</b>			
<b>CAS Number</b>	93685-81-5	<b>EC Number</b>	297-629-8
<b>Classification</b>			
Flam. Liq. 3	H226		
Asp. Tok. 1	H304		M(Chronic)=0
Aquatic Chronic 4	H413		

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

**Inhalation**

Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

**Ingestion**

Immediately rinse mouth and drink plenty of water. DO NOT induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Get medical attention immediately!

**Skin contact**

Remove victim immediately from source of exposure. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

**Eye contact**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

**Protection of first aiders**

First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

**4.2. Most important symptoms and effects, both acute and delayed****General information**

See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation**

Vapours may cause drowsiness and dizziness.

**Ingestion**

May cause stomach pain or vomiting.

**Skin contact**

May cause skin irritation/eczema.

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**Eye contact** May cause blurred vision and serious eye damage.**4.3. Indication of any immediate medical attention and special treatment needed****Notes for the doctor** Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder.**Unsuitable extinguishing Media** Halon. Direct water jet.**5.2. Special hazards arising from the substance or mixture****Specific hazards**

In case of fire, toxic gases may be formed. Vapours may form explosive air mixtures even at room temperature. Containers can burst violently when heated, due to excess pressure build-up.

**Hazardous decomposition products**

Fire causes formation of toxic gases. Forms explosive mixtures with air. May explode when heated or when exposed to flames or sparks.

**5.3. Advice for firefighters****Protective actions during firefighting**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Face mask, protective gloves and safety helmet.

**Special protective equipment for firefighters**

Use pressurised air mask if product is involved in a fire. Cool containers exposed to flames with water until well after the fire is out. If possible, fight fire from protected position. Move container from fire area if it can be done without risk. Avoid water in straight hose stream; will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation.

**6.2. Environmental precautions****Environmental precautions**

Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

**6.3. Methods and material for containment and cleaning up****Methods for cleaning up**

Keep combustibles away from spilled material. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

**6.4. Reference to other sections****Reference to the other sections**

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Usage precautions**

Keep away from heat, sparks and open flame. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Do not handle broken packages without protective equipment.

**Advice on general occupational hygiene**

Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices. Mechanical ventilation or local exhaust ventilation may be required. Container must be kept tightly closed. Protect against direct sunlight.

**7.2. Conditions for safe storage, including any incompatibilities****Storage precautions**

Keep away from oxidisers, heat and flames. Store in tightly closed original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store away from: Acids. Alkalis. Heavy metal compounds. Oxidising material - Keep away from flammable and combustible materials. Store in closed original container at temperatures between (-20) - (-10)°C. Provide an adequate ventilation system.

**7.3. Specific end use(s)****Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure Controls/personal protection**

## SAFETY DATA SHEET

### EFOX 100 S75

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.


#### 8.1. Control Parameters

##### Occupational exposure limits

No exposure limits noted for ingredient(s).

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. All handling to take place in well-ventilated area.

##### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

##### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

##### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

##### Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Isolate contaminated clothing and wash before reuse. Remove contaminated clothing and wash the skin thoroughly with soap and

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

water after work. Wash promptly with soap & water if skin becomes contaminated.

**Respiratory protection**

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Wear suitable mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14 387 and EN143. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

**Environmental exposure controls**

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**SECTION 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Colorless.
<b>Odour</b>	Characteristic.
<b>Melting point</b>	Not available.
<b>Flash point</b>	No data available.
<b>Bulk density</b>	Not available.
<b>Density</b>	0,877 ± 0,005 gr/cm <sup>3</sup> @0°C
<b>Solubility(ies)</b>	Partially soluble in water.
<b>Viscosity</b>	17 mPa.s (0°C)

**9.2. Other information**

<b>Active Oxygen Content</b>	4,84 - 4,98 %
<b>SADT</b>	20°C

**SECTION 10: Stability and reactivity****10.1. Reactivity****Reactivity**

There are no known reactivity hazards associated with this product.

**10.2. Chemical stability****Stability**

Stable under recommended storage conditions

**10.3. Possibility of hazardous reactions****Possibility of hazardous reactions**

Will not polymerise.

## SAFETY DATA SHEET

### EFOX 100 S75

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### 10.4. Conditions to avoid

##### Conditions to avoid

Avoid excessive heat for prolonged periods of time. Keep away from heat, sparks, open flames or hot surfaces. – No smoking.

#### 10.5. Incompatible materials

##### Materials to avoid

Strong acids. Strong reducing agents. Bases, alkalis (organic). Organic peroxides/hydroperoxides.

#### 10.6. Hazardous decomposition products

##### Hazardous decomposition Products

During fire, toxic gases (CO, CO<sub>2</sub>) are formed.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Toxicological information

##### tert-butyl peroxyneodecanoate

Acute oral toxicity

LD50: 10,776 mg/kg

Species: Rat

Acute inhalation toxicity

LC50 (Rat): >37,5 mg/l

Exposure time: 4h

##### Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated

Acute oral toxicity

LD50: >5,000 mg/kg

Species: Rat

##### Serious eye damage/irritation:

Based on available data the classification criteria are not met.

##### Skin corrosion/irritation:

Based on available data the classification criteria are not met.

##### Respiratory or skin sensitisation:

##### Respiratory sensitisation

Based on available data the classification criteria are not met.

##### Skin sensitisation

May cause an allergic skin reaction.

##### Germ cell mutagenicity:

Based on available data the classification criteria are not met.

##### Carcinogenicity:

Based on available data the classification criteria are not met.

##### Reproductive Toxicity - Fertility

Based on available data the classification criteria are not met.

##### Reproductive Toxicity –

Based on available data the classification criteria are not met.

##### Development

##### Specific target organ toxicity - single exposure:

STOT - Single exposure

Based on available data the classification criteria are not met.

##### Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Based on available data the classification criteria are not met.



**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

<b>Aspiration Hazard</b>	Based on available data the classification criteria are not met.
<b>Inhalation</b>	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
<b>Ingestion</b>	May cause chemical burns in mouth, oesophagus and stomach.
<b>Skin contact</b>	Irritating to skin. May cause sensitisation by skin contact.
<b>Eye contact</b>	May cause temporary eye irritation.

**SECTION 12: Ecological Information**

**12.1. Toxicity** Very toxic to aquatic life with long lasting effects.

**Ecological information on ingredients.****tert-butyl peroxyneodecanoate**

<b>Toxicity to fish</b>	LC50, 96h (Danio rerio (zebra fish)): 0.33 mg/l
<b>Toxicity to algae</b>	ErC50, 72h (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l
<b>Toxicity to bacteria</b>	EC50, 3h : 2,054mg/l
<b>Toxicity to daphnia and other aquatic invertebrates</b>	EC50, 48h (Daphnia magna (Water flea)): 0.79 mg/l
<b>Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)</b>	NOEC: 0.049 mg/l Exposure time: 21 d (Daphnia magna (Water flea))

**Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated**

<b>EC50 / 48h</b>	>0.04 mg/l (daphnia magna)
<b>IC50 / 72h</b>	>0.04 mg/l (alga)

**12.2. Persistence and degradability**

**Persistence and degradability** There are no data on the degradability of this product.

**12.3. Bio accumulative potential**

**Bio accumulative potential** No data available on bioaccumulation.

**12.4. Mobility in soil**

**Mobility** The product is partly miscible with water and may spread in the aquatic environment.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

## SAFETY DATA SHEET

### EFOX 100 S75

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### 12.6. Other adverse effects

Other adverse effects Not known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### General information

Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

##### Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Environmental Manager must be informed of all major spillages.

### SECTION 14: Transport information

#### General information

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

#### 14.1. UN number

UN No. (ADR/RID)	3115
UN No. (IMDG)	3115
UN No. (ICAO)	3115
UN No. (ADN)	3115

#### 14.2. UN proper shipping name

Proper Shipping name(ADR/RID)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)
Proper Shipping name (IMDG)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)
Proper Shipping name (ICAO)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)
Proper Shipping name (ADN)	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)

#### 14.3. Transport hazard class(es)

ADR/RID class	5.2
ADR/RID label	5.2
IMDG class	5.2
ICAO class/division	5.2

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

**ADN class** 5.2**Transport labels****14.4. Packing group**

Not applicable.

**14.5. Environmental hazards****Environmentally hazardous substance/marine pollutant****14.6. Special precautions for user**

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**EmS** F-F, S-R  
**Emergency Action Code** 2WE  
**Tunnel restriction code** (D)**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code****Transport in bulk according to Annex II of MARPOL** No data available.**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

**EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

**SAFETY DATA SHEET****EFOX 100 S75**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information****Key literature references and sources for data**

This SDS is prepared based on the information received from the product owner.

**Classification procedures according to Regulation (EC) 1272/2008**

Skin Irrit. 2 - H315; Skin Sens. 1 - H317; Asp. Tox. 1 - H304; Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410; Calculation Method. Flam. Liq. 3 - H226; Org. Perox. D - H242; Expert Judgement

**Training advice**

Read and follow manufacturer's recommendations. Only trained personnel should use this material.

**Revision comments**

First issue.

**Issued By**

Simge ARIK - lab@akpakimya.com +90 282 361 80 99

**Issued Date**

19.09.2017

**Revision date**

-

**Revision**

00

**Hazard statements in full****H226**

Flammable liquid and vapour.

**H242**

Heating may cause a fire.

**H304**

May be fatal if swallowed and enters airways.

**H315**

Causes skin irritation.

**H317**

May cause an allergic skin reaction.

**H400**

Very toxic to aquatic life.

**H410**

Very toxic to aquatic life with long lasting effects.

**H413**

May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.